


# VITAL


— By I+D+i Actiu —




## RECTANGULAR DESKS




## EXECUTIVE AND MEETING DESKS




## BENCH DESKING (SHARING MIDDLE LEG)




## TWIN DESKS




## TWIN DESKS WITH FULL LENGHT TOP ACCESS CABLE TRAY




## CRESCENT DESKS




## DESK LINKS AND RETURNS




## STRUCTURE SCREEN AND OVERHEAD STORAGE




## RECTANGULAR DESKS




## BENCH DESKING (PROGRESSIVE SYSTEM)



## CRESCENT DESK



## TWIN DESKS WITH RECESSED MIDDLE LEG AND TWIN DESKS WITH FULL LENGTH TOP ACCESS CABLE TRAY



## Single desks



① Desk-mounted and Split screens

② Worktops available with several finishes and colours

③ Quick and easy assembling system

④ Cable management for individual desks suspended on the frame

⑤ Optional accessories held on the frame

⑥ Returns and links

## Bench system desks with recessed legs



① Quick and easy assembling system

② Desk-mounted screens

③ Worktops available with several finishes and colours

④ Returns and links

⑤ Cable management for twin desks (16 cm length) suspended on the frame

⑥ Optional accessories held on the frame

⑦ Recessed legs



## ■ FRAME

Manufactured with warm laminated steel profile 1,5 mm thick, silver coating available in silver RAL9006, chrome and white epoxy finish. Moulded aluminium connectors and linking devices epoxy finished.



White



Silver



Chromed


## ■ SUPPORTS

Legs are available with three different supports:

Anti-skid moulded aluminium **leveller**, **height adjustable telescopic system**, six different positions and one anti-skid pad and 65 mm diameter **castors** with soft band (two lockable castors).



**Levellers**  
Total height: 74 cm



**Height adjustment**  
Height: 69-87 cm



**Castors**  
Total height: 74 cm

## ■ EASY ASSEMBLY SYSTEM

Frame is equipped with all the components necessary for a quick assembling process. The assembling system is rapid and easy, using minimal fittings and can therefore be easily re-assembled in a new work space if required.



Easy assembling system



Easy fix top

## ■ FINISHES (See finishes cards)


### Melamine (25 mm)



00 WHITE




11 LIME OAK



18 MAPLE



12 ELM




07 CHESTNUT



14 DARK OAK

### High Pressure Laminate (25 mm)



20 WHITE



28 MAPLE


### Phenolic (13 mm)



30 WHITE




35 MAPLE



39 WENGUE

### Glass (10 mm)



50 FROSTED




52 WHITE  
EXTRA CLEAR




59 BLACK

## ■ RECESSED LEGS

Twin desks with recessed leg permit layouts for four or more people where the central legs are recessed to provide free movement.



Recessed central legs




Recessed central legs

## ■ OPTIONAL COMPLEMENTS

Vital frame has been thought to hold all possible complements in an easy way. Some Vital complements include: suspended pedestals, CPU holders, screens, electrification channels, cable outlets and so on.



Suspended pedestal



Suspended CPU



Desk-mounted screens



Suspended modesty panel

## ■ LINKS AND RETURNS




**Vital** is offering a selection of corner links and returns, allowing the configuration of dynamic work spaces. The returns are designed with a linking system which hangs from the beams offering the possibility of movement and can be placed anywhere along the desk.

## ■ STRUCTURE SCREENS



**Vital** has its own system of screen structures. Directly fixed to the frame to provide stability. Moreover, these screens have covered storages as well as shelves to organize a complete workplace (Only for desks without the full length electrification channel)

An intelligent cable management system providing a clever solution for cabling. Massive metal cable tray included to drive cables underneath the desks, with easy access from the top via a flip-back section. Desk mounted screens, lighting and toolbars can be added as well.



- ① Desk-mounted screen
- ② Aluminium beam to support flip-back section and accessories
- ③ Bracket for accessories fixed in the frame
- ④ Integrated electrification tray



**Plastic (1g/cm<sup>3</sup>) density** electrification tray suspended on frame, a cost efficient solution for optimal cable management.




**Magnetic cable riser kit.** Magnetic cable tie to distribute cables in left or right direction.




#### Sheet metal (large capacity)

Sheet metal tray 0,8 to 1 mm thick, lower than the large capacity for double desks wiring and connections. It provides maximum accessibility, optimizing the work surface, allowing for optimal wire management.




#### Sheet metal (individual desk)

Sheet metal tray 0,8 to 1 mm thick for individual desk wiring and connections. It provides maximum accessibility, optimising the work surface, allowing for optimal wire management



For Access wiring "T"



Access wiring "T"

Metal container 1,2 mm thick for connections. It provides maximum accessibility, optimizing the work surface. Recommended solution for positions that have several different users.





## MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

**58,31%**  
RECYCLED  
MATERIALS



## PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

**100%**  
RECYCLABLE  
ALUMINIUM, STEEL  
& WOOD



## TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

**100%**  
RECYCLABLE  
PACKAGE AND THINNER  
FREE



## USE

Quality and warranty. Long lasting. Replacements available.

**EASY**  
TO CLEAN  
AND MAINTAIN



## DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

**94,39%**  
RECYCLABLE  
MATERIALS

## CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of  
responsible forestry



PEFC Certificate



EN ISO 14006:2011  
ECODESIGN Certificate



UNE-EN ISO 9001:2008  
ISO 9001 Certificate



UNE-EN ISO 14001:2004  
ISO 14001 Certificate



E1 Certificate  
by EN 13986



ACTIU TECHNOLOGY PARK  
LEED® PLATINUM certified by USGBC  
Leadership in Energy & Environmental Design  
LEED® Gold certified 2011 · LEED® Platinum certified 2017

## STANDARDS

**VITAL** has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to UNE standards and office desks:

- **UNE: EN 527-1:2011.** Office Furniture. Desks. **Part 1:** Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. **Part 2:** Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. **Part 3:** Test to determine stability and structure resistance.
- **UNE: EN 15372:08.** Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks. **Part 2:** Strength, durability and safety.
- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.
- **UNE: EN14073-2:05.** Office furniture. Tables and desks and storage furniture. Safety requirements.
- **UNE: EN 14073-3:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of stability and strength of the structure.
- **UNE: EN 14074:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of strength and durability of moving parts.