


PLEK


—By Alegre Design—




FOLDING TABLES WITH FRAME




FIXED TABLES WITH FRAME



FIXED TABLES WITHOUT FRAME (GLASS)



SAMPLE LAYOUTS - PLEK



Folding tables with frame



■ DESCRIPTION

- 1 Steel frame 1 1/2"x 1/2" and 1/4" thick
- 2 3/4" board with anti-shock soft edge
- 3 Rectangular edge 1/4" thick and anti-shock soft edge 1/4" thick
- 4 Extruded aluminium runner with polypropylene (PP.) bracket
- 5 Moulded aluminium legs 3/4"
- 6 Black polypropylene (P.P) caps

■ FRAME




Finishes: black, white, silver and polished



Marco de acero de 1 1/2"x1/2" con 1/4" de grosor

■ SIZES



■ TROLLEY FOR STACKING



Max. 7 tables

■ TOP FINISHES

MFC (3/4")




(see finishes and fabric card)

■ FOLDING SYSTEM

Folding system has an articulated movement with the support of a sliding beam. Mechanism of Enclose and Blocked, is patented by **ACTIU**.

NOTE: Following images show PLEK desks without frame. Desks with frame(for intensive use) have the same folding mechanism.




Folded leg details

Sliding movement detail

Detail of mechanism of Enclose and Blocked, patented by **ACTIU**

Fixed tables without frame



■ DESCRIPTION


- 1 Supports
- 2 Top: glass finish
- 3 Black polypropylene (P.P) caps
- 4 Moulded aluminium legs 3/4"
- 5 Extruded aluminium beam

■ LEGS




Finishes: black, white, silver
and polished

■ SUPPORTS FIXED TO DESKS




fixed system detail

■ SIZES



■ TOP FINISHES

Glass (1/4"+1/4")



Clear

White

(see finishes and fabric card)

Fixed tables with frame



■ DESCRIPTION

- 1 Supports
- 2 Extruded aluminium beam
- 3 Top: MFC
- 4 Black polypropylene (P.P) caps
- 5 Moulded aluminium legs 3/4"

■ LEGS




Finishes: black, white, silver and polished

■ STRUCTURE



Steel Frame 1 1/2"x1/2" with 1/4" width

■ SIZES



■ FINISHES COMBINATIONS

LEGS	TOP FINISH	STEEL FRAME	MECHANISMS AND GUIDE
WHITE	White MFC	White	Silver
	Lime Oak MFC	White	Silver
ALUMINIUM POLISHED	White MFC	White	Silver
	Lime Oak MFC	Silver	Silver
SILVER	White MFC	White	Silver
	Lime Oak MFC	Silver	Silver
BLACK	White MFC	White	Silver
	Lime Oak MFC	Silver	Silver

■ TOP FINISHES



[see finishes and fabric card]



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

84,44%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

94,95%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



California 93120
Compliant: Formaldehyde Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017